stûv

SL21 CLAD

The essential fire



Available in one or two faces and in different sizes, the s21CLAD units are decorative fireplaces made up of an s21 wood-burning fireplace and unique metal cladding. One of its kind in North America, it requires a high level of manufacturing precision. Each piece is carefully crafted and takes several weeks to achieve perfection.

freestanding
single face fireplace

appliance whose installation
does not need any finishing



s[21CLAD]sf2 p.5

freestanding
double face fireplace

appliance whose installation
does not need any finishing



s[21CLAD]df2 p.15



s[21CLAD]df7 p.23





The s21CLAD is a turnkey fireplace. Unlike traditional models that need to be built into a wall, the s21CLAD does not require any finishing. The steel casing makes installation quick and easy.

s[21CLAD]sf2

85



95



105



125



The s21CLAD-sf2 is an asymmetrical model with a fireplace on one side and space to store wood at the back, for an easy daily wood management.

Performances					
	Wood consumption	12 - 14 lb/h	13 - 15 lb/h	12 - 14 lb/h	13 - 15 lb/h
	Nominal heat output	48 000 BTU/h	55 000 BTU/h	48 000 BTU/h	60 000 BTU/h

s[21CLAD]sf2

single face	85	95	105	125
				
Certifications	UL / ULC	UL / ULC	UL / ULC	UL / ULC
Combustion chamber	4.8 ft^3	6.6 ft^3	5.3 ft^3	8.4 ft^3
Logs - Maximum length	24"	28"	32"	40"
Estimated heating area	1 400 ft^2	1 600 ft^2	1 400 ft^2	1 800 ft^2
Weight	775 lb	925 lb	765 lb	975 lb

To ensure dimensions, performance data and other prerequisites for a safe installation that is compliant with current regulations, always refer to the installation instructions available on the website www.stuvamerica.com.



s[21CLAD]sf2

	85	95	105	125
[A] Width	66 5⁄16"	70 1⁄2"	74 3⁄16"	82 1⁄16"
[B] Depth	28 3⁄8"	30 3⁄8"	26 11⁄16"	29 3⁄8"
[C] Height	63 7⁄8"	70 1⁄4"	53 1⁄4"	63 7⁄8"
[E] Center chimney	11 5⁄8"	12 1⁄2"	11 5⁄8"	12 3⁄8"
[F] Chimney diameter	8"	10"	8"	10"
[H] Min. ceiling clearance	19 1⁄2"	13 1⁄8"	30 1⁄8"	19 1⁄2"
Ø Outside air connection	4"	4"	4"	4"

Colors - See p.29

Glass

	85	95	105	125
Width	26 1⁄2"	30 3⁄8"	34 1⁄4"	42 1⁄8"
Height	21 1⁄16"	24 1⁄4"	15 3⁄4"	21 1⁄16"

To ensure dimensions, performance data and other prerequisites for a safe installation that is compliant with current regulations, always refer to the installation instructions available on the website www.stuvamerica.com.



s21CLAD-sf 105

© Luminaire Authentik

Asymmetry

With log storage at the back and a combustion chamber on the other, the asymmetrical s21CLAD models add a touch of authenticity. The asymmetry allows for the fireplace to blend perfectly with the space while maintaining a minimalist design.



Left asymmetry



Right asymmetry

Rethinking the fireplace



The s21CLAD models have a glass window with no frame at the bottom for a full view of the fire. Mechanisms such as rails and cables are hidden for an authentic experience.

s[21CLAD]df2



The s21CLAD-df2, like the s21CLAD-sf2 model, has a built-in convection system, is asymmetrical and includes log storage.

The two guillotine windows make it stand out. When installed in the middle of a room, this model enhances the ambiance on both sides.

Performances				
	Wood consumption	13 - 15 lb/h	13 - 15 lb/h	13 - 15 lb/h
	Nominal heat output	48 000 BTU/h	55 000 BTU/h	60 000 BTU/h

s[21CLAD]df2

	85	95	125
double face			

Certifications	UL / ULC	UL / ULC	UL / ULC
Combustion chamber	6.5 ft^3	8.4 ft^3	10.6 ft^3
Logs - Maximum length	24"	28"	40"
Estimated heating area	1 400 ft^2	1 600 ft^2	1 800 ft^2
Weight	885 lb	1 055 lb	1 100 lb

To ensure dimensions, performance data and other prerequisites for a safe installation that is compliant with current regulations, always refer to the installation instructions available on the website www.stuvamerica.com.



s[21CLAD]df2

	85	95	125
[A] Width	66 5⁄16"	70 ½"	82 1⁄16"
[B] Depth	33 ½"	33 ½"	33 ½"
[C] Height	63 7⁄8"	70 ¼"	63 7⁄8"
[E] Center chimney	16 ¾"	16 ¾"	16 ¾"
[F] Chimney diameter	10"	12"	12"
[H] Min. ceiling clearance	19 ½"	13 ⅛"	19 ½"
Ø Outside air connection	4"	6"	6"

Colors - See p.29

Glass

	85	95	125
Width	26 ½"	30 ⅜"	42 ⅛"
Height	21 1⁄16"	24 ¼"	21 1⁄16"

To ensure dimensions, performance data and other prerequisites for a safe installation that is compliant with current regulations, always refer to the installation instructions available on the website www.stuvamerica.com.



© Adrien Williams, Bourgeois / Lechasseur Architectes



The s21CLAD models have a tilting door, making it easy to clean the guillotine glass and access the hidden mechanisms for maintenance.

s[21CLAD]df7

85



95



125



The s21CLAD-df7 is impressive. Both elegant and imposing, it is an ideal way to break up two spaces and create a unique atmosphere. Perfectly symmetrical, this model is characterized by its stately presence and will majestically complete any architectural design.

Performances				
	Wood consumption	13 - 15 lb/h	13 - 15 lb/h	13 - 15 lb/h
	Nominal heat output	48 000 BTU/h	55 000 BTU/h	60 000 BTU/h

s[21CLAD]df7

double face	85	95	125
			
Certifications	UL / ULC	UL / ULC	UL / ULC
Combustion chamber	6.5 ft^3	8.4 ft^3	10.6 ft^3
Logs - Maximum length	24"	28"	40"
Estimated heating area	1 400 ft^2	1 600 ft^2	1 800 ft^2
Weight	945 lb	1 145 lb	1 200 lb

To ensure dimensions, performance data and other prerequisites for a safe installation that is compliant with current regulations, always refer to the installation instructions available on the website www.stuvamerica.com.



s[21CLAD]df7

	85	95	125
[A] Width	86"	89 15⁄16"	101 ¾"
[B] Depth	33 ½"	33 ½"	33 ½"
[C] Height	63 ⅞"	70 ¼"	63 ⅞"
[E] Center chimney	16 ¾"	16 ¾"	16 ¾"
[F] Chimney diameter	10"	12"	12"
[H] Min. ceiling clearance	19 ½"	13 ⅛"	19 ½"
Ø Outside air connection	4"	6"	6"

Colors - See p.29

Glass

	85	95	125
Width	26 ½"	30 ⅜"	42 ⅛"
Height	21 1⁄16"	24 ¼"	21 1⁄16"

To ensure dimensions, performance data and other prerequisites for a safe installation that is compliant with current regulations, always refer to the installation instructions available on the website www.stuvamerica.com.



Colors

The available colors of s21CLAD have been carefully chosen. These understated and elegant colors are timeless classics. StûvGrey, the iconic color of Stûv units, is a unique shade specially developed for the brand.

StûvGrey
StûvBlack
White RAL 9010
Grey RAL 9007
Rust finish

Rust finish

The rust finish is created through natural oxidation of each part in a controlled environment. This process, carried out by our artisans, requires several weeks to achieve the desired result. Each rust-finished s21CLAD is a unique work of art that exudes elegance.



s21CLAD-df7 85

© Daphné Caron

Colors

StûvGrey

StûvBlack

Rust finish









Log rack

Available as an option, the log rack is designed to fit into the rear of the s21CLAD-sf2 and inside the bulkhead of the s21CLAD-df2 and df7. As it supports a heavy load of wood, it is possible to store logs without the risk of damaging the cladding of the fireplace.



Guillotine fire screen

The s21CLAD guillotine fire screen lets you enjoy an open fire in complete safety. Its steel structure is incredibly strong, while the fine mesh provides a clear view of the flickering flames.

Available as an option, it can be added to all s21CLAD models, even after installation. This elegant and refined accessory is the perfect way to enhance your enjoyment of a wood fire at home.



Built-in convection system

Each s21CLAD model is equipped with a convection system whose ambient air intakes and hot air outlets are skillfully integrated into the design of the steel shell. This ingenious system helps temper the combustion chamber and distribute heat throughout the space to warm the house.



Choosing an
s21CLAD is
a statement to
your passion
for perfection



s[21CLAD]

[HYBRID] The guillotine window lets you choose between a fire for the mood or for warming up the room. [USEFUL] The steel shell turns the fireplace into a freestanding art piece. No finishing required. [CLEAN] Air sweeps the glass and carries away any dust from combustion, for a clear view of the fire. [SIMPLE] No damper to fiddle with: simply light the fire and enjoy the warmth. [INGENIOUS] When the window is fully down, the door can be tilted forward, making it easy to clean the glass and access all the mechanisms for future maintenance. [POWERFUL] The large combustion chamber and convection system spread abundant heat throughout the room. [PERFORMING] The smoke deflector is placed at the top of the combustion chamber to evacuate fumes and direct the heat to warm the space. [DURABLE] The high-quality materials, the precision of the finish and the simplicity of the shape ensure its durability.



© Oblica

s[6]



s[16]



s[21]



s[21CLAD]



s[30C]





Stûv fireplaces are designed by Stûv sa – Belgium – stuv.com
and manufactured in North America by Stûv America inc. – Canada – stuvamerica.com

This document is non contractual, Stûv America reserves the right to make modifications without notice.

10/24 - EN - 93113022