stûv

sl211

The essential fire



The s21 models are decorative wood-burning fireplaces with a very large combustion chamber and a convection system that can heat spaces quickly. As hybrid unit, they promise both ambiance and performance. They come in several sizes and in one or two-sided versions.

single face fireplace

appliance designed to be installed in a wall



s[21]sf p.5

double face fireplace

appliance designed to be installed in a wall



s[21]df p.15



The s21 has a frame that takes up only 10% of the surface. The remaining 90% is glass for a truly impressive view of the fire.



s[21]sf


85




95



105



125




The s21-sf model has a delicate steel frame that outlines the combustion chamber. Its elegant simplicity suits any architectural style. The guillotine window is framless for a onobstructed view of the flammes. The mechanisms, such as rails and cables are hidden for a clean authentic experience.

Performances					
	Wood consumption	12 - 14 lb/h	13 - 15 lb/h	12 - 14 lb/h	13 - 15 lb/h
	Nominal heat output	48 000 BTU/h	55 000 BTU/h	48 000 BTU/h	60 000 BTU/h

s[21]sf

single face	85	95	105	125
				
Certifications	UL / ULC	UL / ULC	UL / ULC	UL / ULC
Combustion chamber	4.8 ft^3	6.6 ft^3	5.3 ft^3	8.4 ft^3
Logs - Maximum length	24"	28"	32"	40"
Estimated heating area	1 400 ft^2	1 600 ft^2	1 400 ft^2	1 800 ft^2
Weight	665 lb	820 lb	688 lb	892 lb

To ensure dimensions, performance data and other prerequisites for a safe installation that is compliant with current regulations, always refer to the installation instructions available on the website www.stuvamerica.com.



s[21]sf

	85	95	105	125
[A] Width	40"	43 ⅞"	47 ⅞"	55 ¾"
[B] Depth	26 ½"	28 ½"	25"	27 ¾"
[C] Height	62 ⅞"	68 ¼"	56 ⅛"	62 ⅞"
[D] Center chimney - side	19 ⅞"	21 ⅞"	23 ¾"	27 ¾"
[E] Center chimney - back	10 ½"	11 ¾"	11 "	11 ¾"
[F] Chimney diameter	8"	10"	8"	10"
Ø Outside air connection	4"	4"	4"	4"
Color	StûvGrey	StûvGrey	StûvGrey	StûvGrey

Glass

	85	95	105	125
Width	26 ½"	30 ⅜"	34 ¼"	42 ⅛"
Height	21 1⁄16"	24 ¼"	15 ¾"	21 1⁄16"

To ensure dimensions, performance data and other prerequisites for a safe installation that is compliant with current regulations, always refer to the installation instructions available on the website www.stuvamerica.com.



s21-sf 125 with linear grille

© Luminaire Authentik

Convection system

All s21 models are equipped with a convection system consisting of two ambient air intakes and two hot air outlets. This ingenious system helps temper the combustion chamber and distribute heat throughout the space to further warm the house. It can be configured in different ways to suit any space.

Linear grille

When only front configuration is possible, the linear grille option is also available. It has a discreet design perfect for this type of installation.



© Beurl

The s21 models have a tilting door, making it easy to clean the guillotine glass and access the hidden mechanisms for maintenance.



s[21]df

85 | 95 | 125




The s21-df has the same features as the s21-sf, except with two guillotine glass that can both be raised and lowered.


It is the perfect model for seamlessly bridging two spaces.

Performances				
	Wood consumption	13 - 15 lb/h	13 - 15 lb/h	13 - 15 lb/h
	Nominal heat output	48 000 BTU/h	55 000 BTU/h	60 000 BTU/h

s[21]df

double face	85	95	125
			
Certifications	UL / ULC	UL / ULC	UL / ULC
Combustion chamber	6.5 ft^3	8.4 ft^3	10.6 ft^3
Logs - Maximum length	24"	28"	40"
Estimated heating area	1 400 ft^2	1 600 ft^2	1 800 ft^2
Weight	752 lb	855 lb	960 lb

To ensure dimensions, performance data and other prerequisites for a safe installation that is compliant with current regulations, always refer to the installation instructions available on the website www.stuvamerica.com.



s[21]df

	85	95	125
[A] Width	40"	43 ⅞"	55 ¾"
[B] Depth	31 ½"	31 ½"	31 ½"
[C] Height	62 ⅞"	68 ¼"	62 ⅞"
[D] Center chimney - side	19 ⅞"	21 ⅞"	27 ¾"
[E] Center chimney	15 ¾"	15 ¾"	15 ¾"
[F] Chimney diameter	10"	12"	12"
Ø Outside air connection	4"	6"	6"
Color	StûvGrey	StûvGrey	StûvGrey

Glass

	85	95	125
Width	26 ½"	30 ⅜"	42 ⅛"
Height	21 ⅛"	24 ¼"	21 ⅛"

To ensure dimensions, performance data and other prerequisites for a safe installation that is compliant with current regulations, always refer to the installation instructions available on the website www.stuvamerica.com.

Amplify the comfort



Guillotine fire screen

The s21 guillotine fire screen lets you enjoy an open fire in complete safety. Its steel structure is incredibly strong, while the fine mesh provides a clear view of the dancing flames.

Available as an option, the fire screen can be added to all s21 models later if desired. This elegant and refined accessory is the perfect way to enhance your enjoyment of a wood fire at home.



s21-df 125

© Charles-Olivier Photographie Intérieure

Frames

	85	95	105	125
Thin edge				
1/8" contour				
W	31 5/8"	35 3/16"	39 1/8"	47"
H	24 1/8"	27 1/4"	18 13/16"	24 1/8"
Color				StûvGrey
Picture type				
2 3/8" contour				
W	35 5/8"	39 5/8"	43 1/2"	51 3/8"
H	28 1/2"	31 5/8"	23 1/4"	28 1/2"
Color				StûvGrey
sf4				
9 7/16" contour				
W	49 3/4"	53 3/4"	57 5/8"	65 1/2"
H	42 5/8"	45 3/4"	37 3/8"	42 5/8"
Colors		StûvGrey		White RAL 9010
		StûvBlack		Grey RAL 9007
				Rust finish
sf8				
W	-	-	94 1/2"	-
H	-	-	18 15/16"	-
Color				StûvGrey




s21-sf 95

© Penguin


Front panels

sf5



	85	95	105	125
W	42 5/8"	46 5/8"	50 1/2"	58 1/2"
H	81 3/4"	88"	78 3/4"	81 3/4"
Colors		StûvGrey		White RAL 9010
		StûvBlack		Grey RAL 9007
				Rust finish

sf6



	85	95	105	125
W	42 5/8"	46 5/8"	-	58 1/2"
H	81 3/4"	88"	-	81 3/4"
Colors		StûvGrey		White RAL 9010
		StûvBlack		Grey RAL 9007
				Rust finish

Picture type frames and front panels

The wide selection of s21 frames and front panels offer many ways to add an original touch to any decor. Minimalists, the picture type frames provide a transition between the fireplace and the wall of the enclosure in which it is installed. As for the front panels, they integrate a convection system, which preserves the integrity of the design while offering additional functionality.

Choosing a s21
means experiencing
nature's splendor



s[21]

[HYBRID] The guillotine glass lets you choose between a fire for the mood or for warming up the room. [CLEAN] Air sweeps the glass and carries away any dust from combustion, for a clear view of the fire. [SIMPLE] No damper to fiddle with: simply light the logs and enjoy the warmth. [INGENIOUS] When the window is fully down, the door can be tilted forward, making it easy to clean the glass and access all the mechanisms for future maintenance. [POWERFUL] The large combustion chamber and convection system spread abundant heat throughout the room. [RELIABLE] The combustion chamber has a profiled reinforcement and keeps the metal from getting distorted due to the heat and prevents disruptive sounds. [PERFORMING] The smoke deflector is placed at the top of the combustion chamber to evacuate fumes and direct the heat to warm the space. [DURABLE] The high-quality materials, the precision of the finish and the simplicity of the shape ensure its long-term performance and sustainability.



s21-sf 95

© Raphaël Thibodeau

s[6]




s[16]



s[21]




s[21CLAD]



s[30C]





Stûv fireplaces are designed by Stûv sa – Belgium – stuv.com
and manufactured in North America by Stûv America inc. – Canada – stuvamerica.com

This document is non contractual, Stûv America reserves the right to make modifications without notice.

10/24 - EN - 93113020